ECS Configuration Change Request

1. Originator	2. Log Date:	3. CCR #:	4. Rev:	5. Tel:	6. Rm #:	7. Dept.
Evan Winston	03/02/01	01-0173	–	301.925.0348	2013	DEV/CO

8. CCR Title: Software Version 5B.07 PSR. Delivery to the DAACs

9. Originator Signature/Date	10. Class	11. Type:	12. Need Date: 5MAR2001
[signature] 3/2/01	II	CCR	

13. Office Manager Signature/Date	14. Category of Change:	15. Priority: (If "Emergency" fill in Block 28).
[signature] for Tim Ortiz 3/2/01	Update ECS Baseline Doc.	Routine

16. Documentation/Drawings Impacted:	17. Schedule Impact:	18. CI(s) Affected:
N/A	N/A	All

19. Release Affected by this Change:	20. Date due to Customer:	21. Estimated Cost:
5B	n/a	None - Under 100K

22. Source Reference: ☐NCR (attach) ☐Action Item ☐Tech Ref. ☐GSFC ☒Other:
PSR of Version 5B.07 software .

23. Problem: (use additional Sheets if necessary)
Version 5B.07 PSR (release to the DAACs).
CM has provided TAR files of 5B.07 baseline to the SMC at the 5B.07 Turnover to Test. There is no change to those files provided at that time. Following PSR sign-off, these files should be released to the DAACs. TAR Files Include: SUN55, IRIX6.5, and 6.5 Toolkit (all flavors). Note: CM has already provided these TAR files to the SMC (by authoriztion of a previous CCR) -- so no additional action required of CM/clearcase.

24. Proposed Solution: (use additional sheets if necessary)
Upon successful PSR, approved 5B.07 is to be released to the DAACs. PVC and VATC has already taken delivery of TAR files by authorization of a previous CCR (at turnover to test).

25. Alternate Solution: (use additional sheets if necessary)
none

26. Consequences if Change(s) are not approved: (use additional sheets if necessary)
Delays in getting NCR fixes and 5B.07 functionality to the DAACs.

27. Justification for Emergency (If Block 15 is "Emergency"):
Needs to be delivered by 5 MAR 2001 so that DAAC installation and testing can begin.

28. Site(s) Affected: ☐EDF ☒PVC ☒VATC ☒EDC ☒GSFC ☒LaRC ☒NSIDC ☒SMC ☐AK ☐JPL ☐EOC ☐IDG Test Cell ☐Other

29. Board Comments:	30. Work Assigned To:	31. CCR Closed Date:
Add Addendum manual work around for PDPSDB Add an updated NCR listing for reposting the document	Construction Office	

32. EDF/SCDV CCB Chair (Sign/Date):	Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS
[signature] 3/5/01	
33. M&O CCB Chair (Sign/Date):	**Disposition:** Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS
[signature] 3/5/01	
34. ECS CCB Chair (Sign/Date):	**Disposition:** Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ESDIS

ORIGINAL

ADDITIONAL SHEET

CCR #: 01-0173 **Rev:** - **Originator:** Evan Winston

Telephone: 301.925.0348 **Office:** DEV/CO

Title of Change: Software Version 5B.07 PSR. Delivery to the DAACs

Delivery Instructions for 5B.07 Turnover to Test:

NOTE: ALL of the ACTIONS indicated below have already completed (by authorization of a previous CCR) except SMC delivery of TAR files to the DAACs.

For this turnover, CM will need to run makedeliver to build TAR files from the 5B07 (5B6A) baseline.

TAR file(s) for the TOOLKIT (6.5) all flavors,
TAR file(s) for the software for the Sun 55 Platforms,
TAR file(s) for the software for the IRIX65 Platforms.

CM will need to make available a listing of the TAR files and checksums of the TAR files.

CM will need to deliver the TAR files to the SMC.

The SMC will make these files available to all sites.

Installation Instructions for the 5B.07 Software has been posted and is provided under separate cover in the VDD document, 'Version 2 Drop 5B.07 Release for the ECS Project, 914-TDA-147, March 5, 2001.

CM01AJA00

ORIGINAL

5B.07 PDPS Database Patch Workaround

Prior to installing the 5B.07 PDPS database patch, you must update the existing database to remove all database version records greater than 5113 and to set the current version flag is set to "Y" for database version 5113. To perform these actions:

```
> isql -S <server_name> -U <db_user_name> -P <db_user_password>
> use pdps[_<MODE>]
> go
> delete EcDbDatabaseVersions where EcDbSchemaVersionId > 5113
> go
> update EcDbDatabaseVersions
> set EcDbCurrentVersionFlag = "Y" where EcDbSchemaVersionId = 5113
> go
> exit
```

Once this is completed, follow the steps indicated in the PDPS section (12) of the 5B.07 installation instructions to patch the PDPS database. While running the database patch, the following error message will be displayed during the processing of patch 5B.24:

> Msg 213, Level 16, State 4:
> Insert error: column name or number of supplied values does not match table definition

This error message may be safely ignored.

ORIGINAL

Table 5-1. Fixed NCRs

	Identifier	Subsystem	Severity	State	Location	Description	Verified By	Notes
1	ECSed09029	OPS_INGST	3	C	Mini-DAAC	INGEST GUI core dumps after hitting return key on Notify FTP password	TEST	
2	ECSed15328	OPS_INGST	3	C	EDF	When requests are moved to the Summary DB tables, the end time is not se	DEV	
3	ECSed20215	OPS_SysBld	3	V	LaRC DAAC	Continuing Errors In LaRC Site Map	DAAC	Site Map
4	ECSed21666	OPS_SysBld	3	V	EDC DAAC	4PX26 sitemap for DSS-SDSRV EcDsSdHdfeos.pkg	DAAC	Site Map
5	ECSed22781	OPS_DBDM	3	C	EDF	SelectAndReadObject does not retry deadlocks	DEV	
6	ECSed23435	OPS_STMGT	3	C	EDF	Mkcfg at Application Level still makes ARCHRESCONFIG and STAGINGMONITOR	DEV	
7	ECSed23778	OPS_DMS	2	A	EDC DAAC	Conflicting Status Messages	TEST	Failed verification
8	ECSed23878	OPS_MSS	3	T	LaRC DAAC	Corrections Needed To .hostmap File	DAAC	Site Map
9	ECSed23879	OPS_MSS	3	V	LaRC DAAC	.sitehostmap File Does Not Match Either .hostmap or .sitemap	TEST	Site Map
10	ECSed23930	OPS_DMS	2	C	EDF	MTool coredumps when selecting some char.types on Database List screen	DEV	
11	ECSed24413	OPS_DMS	3	C	EDF	V0GW returns misleading status to EDG for failed search w/bad syntax	DEV	
12	ECSed24485	OPS_MSS	2	C	EDC DAAC	5A_TRANSITION_TS1 binary files end up on wrong architect	TEST	
13	ECSed24619	OPS_STMGT	2	V	GSFC DAAC	SMC/GSFC Multiple 8mm tape requets, not recognizing 2nd vo	TEST	
14	ECSed24674	OPS_MSS	3	T	EDC DAAC	5A-Transition-TS2 (.sitemap changes needed)	DAAC	Site Map
15	ECSed24727	OPS_INGST	3	C	GSFC DAAC	GSFC/SMC: PAN parameter hinders EDOS ingest	TEST	
16	ECSed25081	OPS_SDSRV_DTS	2	T	GSFC DAAC	Fwd GSFC/SMC: Passwords in log files	TEST	
17	ECSed25114	OPS_MSS	3	C	EDF	No Toolkit install on p0aqg01 (update for	DEV	

ORIGINAL

						the .sitemap)		
18	ECSed25456	OPS_MSS	2	T	GSFC DAAC	GSFC/SMC: DbViewer not showing all data in database in OPS	DAAC	Not reproducible in VATC
19	ECSed25538	OPS_Sci_Office	5	C	EDC DAAC	Default ScienceQualityFlag values in the SDSRV Inventory Ta	DEV	
20	ECSed25539	OPS_INGST	3	A	EDC DAAC	Ingest problem with EXPIRATION_TIME	TEST	Failed verification
21	ECSed25758	OPS_DBDM	3	C	EDF	Use tempdb as default database - PDPS	DEV	
22	ECSed25857	OPS_DMS	3	C	VATC	PRODUCT_UNIT_PRICE is shown incorrectly in AsterToEcsGatewayDebug.log	TEST	
23	ECSed26293	OPS_DMS	2	C	EDF	Search by granule ID returns wrong dataset ID for mutliple datasets	DEV	
24	ECSed26331	OPS_PLS	2	C	EDF	CG: Closest Granule Query Type disconnect.	DEV	
25	ECSed26373	OPS_STMGT	2	V	PVC	8MM server dies when encountering SCSI I/O errors		
26	ECSed26484	OPS_INGST	3	C	PVC	Need new granule state for errors in Request Mgr		
27	ECSed26561	OPS_DMS	3	C	PVC	Saerch Failures when search time constraints are too close to granule		
28	ECSed26577	OPS_SysBld	3	C	PVC	PVC Sitemap errors		
29	ECSed26663	OPS_DMS	3	C	EDF	Need to return msg after failed search due to ESDT updates		
30	ECSed26773	OPS_Toolkit	3	V	EDC DAAC	Improve Toolkit error messages	TEST	
31	ECSed26979	OPS_STMGT	2	V	LaRC DAAC	malloc error in EcDsStmgtGui	TEST	
32	ECSed27019	OPS_IDG	3	C	EDF	Registry Population Tool: Can't find /bin/umask on sgi's	DEV	
33	ECSed27084	OPS_INGST	3	T	GSFC DAAC	Fwd GSFC/SMC: Ingest techs should not need to rerun entire	DAAC	GSFC Specific data
34	ECSed27126	OPS_SDSRV_IIF	2	C	EDF	Possible memory leaks in DsClESDTReference	DEV	

ORIGINAL

35	ECSed27152	OPS_STMGT	2	T	EDC DAAC	5A.05 OPS:TRE:StagingDisk Server on drg02 starts slowly	DAAC	Site Map
36	ECSed27390	RelB0_MSS	2	C	EDF	.executables file has incorrect executable type for some PLS executables	DEV	
37	ECSed27440	OPS_SDSRV	2	C	EDF	DsClESDTReferenceVector leaks myTypeInfo	DEV	
38	ECSed27443	OPS_INGST	2	C	VATC	EcInGran hangs during preprocessing of GDAS_0ZF data	TEST	
39	ECSed27459	OPS_MSS	3	T	Langley DAAC	LARC Drop5B.03 sitemap file has host l0wkg01 which does not	DAAC	Site Map
40	ECSed27514	OPS_SDSRV_DTS	3	C	EDF	Invalid logic in DsDeDictionaryAttribute trigger	DEV	
41	ECSed27545	OPS_DPS	2	C	EDF	Add a "DpPrSchedulingControl" table/code to JobMgmt to schedule PGEs	DEV	
42	ECSed27548	OPS_DPS	2	C	EDF	Do not create subscriptions to internal dynamic granules	DEV	
43	ECSed27559	OPS_DPS	2	C	EDF	Identify and schedule Chains of DPRs to a single platform	DEV	
44	ECSed27576	OPS_DPS	2	C	EDF	DPS: Need to be able to move marked files to other Science Processor	DEV	
45	ECSed27588	OPS_MSS	3	T	LaRC DAAC	The new Origin Science Processor and Raid at Langley needs	DAAC	Site Map
46	ECSed27633	OPS_PLS	2	T	EDC DAAC	5B03:TRANSITION AST_L1B inserts continue to appear in logs.	DAAC	Not reproducible in VATC
47	ECSed27635	OPS_DMS	2	C	EDC DAAC	Path/Row Search for ASTER and MODIS does not work	DEV	
48	ECSed27682	OPS_SDSRV_ESDT	2	V	EDC DAAC	5B:TS1: SDSRV unable to extend stag disk on floating scene	TEST	
49	ECSed27728	OPS_DDIST	2	V	EDC DAAC	5B.03:All Modes: Email notification not sent to DORRAN for		
50	ECSed27749	RelB0_DPS	3	C	EDF	Parameterize DpCPrAm1ClockEps and DpCPrPm1ClockEps values in ODL	DEV	
51	ECSed27750	RelB0_DPS	2	C	EDF	PM1 QA checks failing at file boundaries	DEV	

ORIGINAL

52	ECSed27777	OPS_MSS	2	T	GSFC DAAC	GSFC/SMC: Cannot access EcCoDbViewer in Drop 5B.03	DAAC	Not reproducible in VATC
53	ECSed27785	OPS_STMGT	2	T	EDC DAAC	OPS:5B.03:e0drg01:Hung Copy Daemon	DAAC	Server Specific
54	ECSed27795	OPS_SDSRV_ESDT	2	T	EDC DAAC	ASTER L1B Browse does not work in Drop 5B	DAAC	
55	ECSed27821	OPS_STMGT	2	V	PVC	EcDsSt8MMServerStart does not reconcile physical tapes at launch		
56	ECSed27881	OPS_MSS	3	V	EDF	Machines to remove from .sitemap	DEV	
57	ECSed27910	OPS_INGST	2	V	GSFC DAAC	PM1 FDD Interface Needs to Be Added to Ingest	TEST	
58	ECSed27933	OPS_DMS	3	V	EDC DAAC	Beginning/EndingDateTime shown repeatedly in Data Granule A	TEST	
59	ECSed27946	OPS_DPS	2	V	EDC DAAC	ASTER On-demand profile info not passed to Order Tracking G	TEST	
60	ECSed27967	OPS_Sci_Office	2	T	EDC DAAC	Changes Required to be made to Version 1 & 2 of all the Lan	DAAC	
61	ECSed27968	OPS_SDSRV_DTS	2	T	EDC DAAC	5B.03:All Modes:Invalid entries in the DsMdInputGranule tab	DAAC	EDC Data Specific
62	ECSed28019	OPS_PLS	2	C	LaRC DAAC	PREditor Default Priority Conflicts With PIWb Strategies	TEST	
63	ECSed28045	OPS_Sci_Office	5	T	EDC DAAC	Long-Description : See E-mail below from Mike Linda	TEST	
64	ECSed28047	OPS_IDG	3	C	EDF	EcUtClientLogger log file corruption	DEV	
65	ECSed28062	OPS_INGST	2	T	PVC	Request Manager core dumps when deallocating stagindisk after D3 complet		
66	ECSed28141	OPS_INGST	2	T	EDC DAAC	Changes Required to be made to the Mandatory field to the Q	DAAC	EDC Data Specific
67	ECSed28161	OPS_PLS	5	T	GSFC DAAC	GSFC/SMC: Incorrect orbit numbers for DPREP in OPS	DAAC	
68	ECSed28228	OPS_SDSRV_ESDT	5	C	EDF	ESD72-116: Make changes requested by MODIS for MOD10_L2.	DEV	
69	ECSed28230	OPS_SDSRV_	5	C	EDF	ESD72_115: Make changes to MOD08_D3,	DEV	

ORIGINAL

		ESDT				MOD08_M3, and MOD08_E3.		
70	ECSed28231	OPS_SDSRV_ESDT	5	C	EDF	ESD72_103-111:Make changes to MOD04_L2, MOD05_L2, MOD06_L2, MOD07_L2.	DEV	
71	ECSed28247	OPS_DMS	3	V	SMC	EDGRS sees the data order date/time as after other date/tim		
72	ECSed28268	OPS_IDG	2	C	VATC	L7CPF duplicate acquire events	TEST	
73	ECSed28299	OPS_DPS	2	T	EDC DAAC	OPS:5B.04:PDPS: Science processor down for maintenance; anc	DAAC	Server Specific
74	ECSed28324	OPS_SDSRV_ESDT	5	C	EDF	ESD72-117: changes for MOD10A1 and MOD10A2.	DEV	
75	ECSed28329	OPS_DPS	2	C	EDF	PM-1 DPREP aborts on valid carry-out file time offset.	DEV	
76	ECSed28330	OPS_DMS	5	C	EDF	New Valids for AMSR	DEV	
77	ECSed28340	OPS_DPS	2	C	EDF	PM-1 DPREP ephemeris processor does not project orbit numbers.	DEV	
78	ECSed28350	OPS_SDSRV_ESDT	5	C	EDF	ESD72-121&122: Changes for MOD29, MOD29P1D, MOD29P1N	DEV	
79	ECSed28353	OPS_IDG	2	C	EDF	Memory leaks in EcPfGenprocess.C and EcNsLocatorMapper.C	DEV	
80	ECSed28356	OPS_SDSRV_ESDT	5	V	EDF	ESD72-112: Make changes for MO{04,36,1D}{M,S,N,Q,F,1,2,3}{D,W}	EDF	
81	ECSed28357	OPS_SDSRV_ESDT	3	C	EDF	ESD72-109: make changes to MOD35_QC	DEV	
82	ECSed28358	OPS_SDSRV_ESDT	5	C	EDF	ESD72-110: Make changes for MOD35ANC.	DEV	
83	ECSed28359	OPS_SDSRV_ESDT	3	C	EDF	ESD72-107&ESD72-111: Make changes to MOD07_QC and MOD07LUT.	DEV	
84	ECSed28360	OPS_SDSRV_ESDT	3	C	EDF	ESD72-108: Make changes from MODVOLC.	DEV	
85	ECSed28374	OPS_PLS	2	C	EDF	PlOdMgr:PDPS database not cleaned up for failed NonStandL1B & DEM orders	DEV	
86	ECSed28391	OPS_Sci_Office	2	C	EDF	New Valids needed for AMSR-E	DEV	

ORIGINAL

87	ECSed28394	OPS_DPS	2	C	EDF	PM-1 DPREP attitude processor aborts on header/record time mismatch.	DEV	
88	ECSed28399	OPS_Sci_Office	5	T	EDC DAAC	NEW ASTER ESDT need unique LongName and Collection Descr.	SO	
89	ECSed28400	OPS_Sci_Office	5	T	EDC DAAC	ASTER Level2 ESDT Updates TS1,OPS,TS2	DAAC	
90	ECSed28403	OPS_IDG	2	C	PVC	Landsat gateway core dumps when rpc fails		
91	ECSed28417	OPS_SDSRV_ESDT	5	C	EDF	ESD 72-94 & 97: Changes for MOD03 and MYD03	DEV	
92	ECSed28424	OPS_DPS	2	C	GSFC DAAC	GSFC/SMC--PDPS AM1Eph failed in execution		
93	ECSed28439	OPS_SDSRV_ESDT	5	C	EDF	ESD72-98: make changes to ESDTs M*D02*.	DEV	
94	ECSed28446	OPS_STMGT	1	V	EDC DAAC	OPS:5B.04:RetrieveFileOffsite:Creation of Remote Archive fa	TEST	
95	ECSed28463	OPS_DMS	3	C	EDC DAAC	5B.05+:OPS:Search result info needed from ODL file	DEV	
96	ECSed28464	OPS_SDSRV_ESDT	2	C	EDC DAAC	L7 IGS Metadata: Request Station_ID be populated at granule	TEST	
97	ECSed28470	RelB0_SDSRV_IIF	4	C	EDF	Can't submit asynchronous acquire request on irix6.2.	DEV	
98	ECSed28471	OPS_SDSRV_ESDT	2	C	EDF	Incorrect Disclaimer Dataset valid value.	DEV	
99	ECSed28490	OPS_INGST	3	C	EDF	Remove EcInTestClient from the nightly build	DEV	
100	ECSed28506	OPS_STMGT	2	C	EDF	PtpDis server leaks memory partitions	DEV	
101	ECSed28508	OPS_SDSRV_ESDT	5	C	EDF	new DAS ESDTs	DEV	
102	ECSed28517	OPS_MSS	3	C	EDF	Add DEV03, SMC5B and SMC6A as new sites for EDF	DEV	
103	ECSed28529	RelB0_Toolkit	3	C	EDF	INSTALL script on hp changes shell when typed bin/INSTALL	DEV	
104	ECSed28531	OPS_DMS	2	C	LaRC DAAC	MISR Data Quality Summary Not Appearing in EDG	TEST	
105	ECSed28541	OPS_SDSRV	2	C	EDF	Provide DAAC Configurable limit of	DEV	

ORIGINAL

						Granules per acquire request		
106	ECSed28547	OPS_SDSRV_ESDT	2	C	EDF	New Valids for GLAS need to be added to DataBase	DEV	
107	ECSed28556	OPS_INGST	3	C	EDF	GRIB converter needs to truncate field names greater than 64 chararcters	DEV	
108	ECSed28557	OPS_Toolkit	3	C	EDF	Need to add land/sea mask to hdf data file for 3km resolution and TOOLKI	DEV	
109	ECSed28576	OPS_INGST	2	T	EDC DAAC	EDC Aqua-MOSS Showstopper	DAAC	Not reproducible in VATC
110	ECSed28588	OPS_INGST	3	C	EDF	PCFG file for Polling is not needed	DEV	
111	ECSed28591	OPS_SDSRV_ESDT	5	V	EDF	ESD131: need changes for MODMGGA(D,N) and MODPT(1KD,1KN,HKM,QKM)		
112	ECSed28593	OPS_SDSRV_ESDT	5	V	EDF	ESD72-68,69,70,126,127: Make new MODIS OCEAN ESDTs		
113	ECSed28600	OPS_SDSRV	2	C	EDC DAAC	5B.03+ OPS: Ingest Recovery goes into a retry loop when a		
114	ECSed28612	OPS_SDSRV_ESDT	2	C	EDF	PSA AsterGranuleId need to be populated for Aster L1A	DEV	
115	ECSed28621	OPS_INGST	2	C	EDF	Population of 3 PSA values for 6 AMSR ESDTs	DEV	
116	ECSed28624	OPS_SDSRV	2	C	EDF	Different environment between PVC and functionality lab	DEV	
117	ECSed28625	RelB0_DPS	2	C	EDF	AM1 and PM1 DPREP ODLs have wrong version number	DEV	
118	ECSed28626	OPS_SDSRV_IIF	2	C	EDF	Memory leak/corruption in DsMdODL		
119	ECSed28629	OPS_STMGT	2	V	EDC DAAC	5B.06.STMGT.01+FtpDis.debug--Order goes shipped, but files	TEST	
120	ECSed28650	OPS_DMS	2	C	EDF	V0GW: Runtime exception on Search by Granule UR, for multiple URs	DEV	
121	ECSed28659	OPS_STMGT	2	C	EDF	StagingDisk creation slows down with square of number of staging disks	DEV	
122	ECSed28667	RelB0_IDG	2	C	EDF	Unable to create a correct .CFG file for the	DEV	

ORIGINAL

						V0ToEcsGateway in 6A.03		
123	ECSed28670	RelB0_PLS	2	C	EDF	Unable to automatically create the Planning .ACFG file in 6A.02	DEV	
124	ECSed28683	OPS_DMS	3	C	EDF	New ICESat Glas Valids (Aerosol Layer Heights, and Land Elevation)	DEV	
125	ECSed28694	RelB0_HDF_EOS	3	C	EDF	Need to add code 31 for ISINUS Grid	DEV	
126	ECSed28696	OPS_STMGT	1	C	GSFC DAAC	StagingDiskServer core dumps when destroying SDReal		
127	ECSed28702	OPS_SDSRV	2	C	EDF	SDSRV Fails Granules w/Multiple Hardcoded Containers	DEV	
128	ECSed28718	OPS_SDSRV_ESDT	5	T	EDF	Major MODIS ESDT modifications		
129	ECSed28735	OPS_IDG	2	C	VATC	VATC: Registry Gui's Delete Tree operation not working.	TEST	
130	ECSed28738	OPS_IDG	3	C	VATC	EclnReqMgr hangs (can't communicate with EclnReqMgr)	TEST	
131	ECSed28774	OPS_CLS	2	C	EDC DAAC	User Registration via EOSDIS User Reg. web page does not w		
132	ECSed28800	OPS_DMS	2	C	EDC DAAC	TS1:5B:ECS - ASTER 1/O:Data Listings returned from ASTER do	TEST	
133	ECSed28801	OPS_SDSRV_DTS	3	C	EDF	Add OPS Procedure and scripts to monitor Async acquires with many gran	DEV	
134	ECSed28805	OPS_MSS	2	T	NSIDC DAAC	EA 3.0 install by Subsystem & selecting each pkg fails	DAAC	Not reproducible in VATC
135	ECSed28814	OPS_MSS	2	C	VATC	VATC:cfgpatch does not execute for all subsystems.	TEST	
136	ECSed28816	OPS_SDSRV_ESDT	5	C	EDF	Add new PSAs to AIRS v2.1 ESDTs		
137	ECSed28827	OPS_DPS	3	C	EDF	PM-1 DPREP attitude processing does not abort in absense of ephemeris	DEV	
138	ECSed28831	OPS_SDSRV_IIF	2	C	VATC	QA MUT Script Failed	TEST	
139	ECSed28832	OPS_SDSRV_ESDT	5	C	EDF	MOPITT ESDTs need LocalGranuleID added	DEV	

ORIGINAL

140	ECSed28858	OPS_MSS	3	C	EDF	ECS Assistant scripts in 5B have wrong path for SSH	DEV	
141	ECSed28861	OPS_INGST	2	V	GSFC DAAC	GSFC/SMC - Ingest database parameter hinders EMOS ingest	TEST	
142	ECSed28862	OPS_SysBld	3	C	EDF	EcClUserRegistration should be under CLS and not CSS for m0css03	DEV	
143	ECSed28865	OPS_DPS	2	C	EDF	EcDpPrCleanMaintMachineFiles.pl needs to update online state	DEV	
144	ECSed28867	OPS_DPS	3	C	EDF	PM-1 DPREP attitude performs erroneous QA flagging.	DEV	
145	ECSed28871	OPS_SDSRV_ESDT	5	C	EDF	ESD72-96: Changes for MOD01SS	DEV	
146	ECSed28874	OPS_STMGT	2	T	GSFC DAAC	GSFC/SMC: STMGT servers still hang periodically in OPS	DAAC	Server Specific
147	ECSed28877	OPS_DPS	2	C	EDF	EcDpPrRmFilesWOGranules.pl should check if sybase OK	DEV	
148	ECSed28879	OPS_SDSRV_ESDT	5	A	EDF	ESD72-138: Changes to MOD12*,MOD13*,MOD14C3,MOD15C2,MOD17C2,MOD44*	DEV	
149	ECSed28880	OPS_SysBld	3	C	EDF	sitemap has typo and 5B version has DEV06 wrong	DEV	
150	ECSed28883	OPS_DMS	3	C	VATC	The estimated price shows 0 for L7	DAAC	
151	ECSed28884	OPS_SDSRV_ESDT	2	C	VATC	Error in archive filename extension (format) for PREPQC data	TEST	
152	ECSed28886	OPS_IDG	2	C	EDF	Clients hang when connecting to stale CDS entries	DEV	
153	ECSed28887	OPS_PLS	2	C	EDF	Delete stray granule might accidentally cause broken links in PDPS DB	DEV	
154	ECSed28891	OPS_DMS	2	C	EDF	.rgypatch needed to update value for L7FloatingSceneLongName for V0GW	DEV	
155	ECSed28895	OPS_SDSRV_ESDT	5	C	EDF	ESD72-123: changes for M*04MA, M*DOQA, M*DSQA	DEV	
156	ECSed28897	OPS_SDSRV_DTS	5	C	EDF	Bulk Loading scripts for Spatial Extent only support single data file	DEV	

ORIGINAL

157	ECSed28900	OPS_SDSRV_ESDT	5	T	VATC	Two ESDTs Have the Same LongName	SO	
158	ECSed28909	OPS_MSS	2	C	EDF	EcCoInstall needs to specify a full path for EcCoScriptlib	DEV	
159	ECSed28910	OPS_MSS	2	C	EDF	EcCoAssist erroneously prepends clearcase path to PATH variable	DEV	
160	ECSed28920	RelB0_PLS	2	T	PVC	EcPIMkcfg not in all PLS .iu files		
161	ECSed28941	OPS_SDSRV_ESDT	5	T	LaRC DAAC	V2.1.3 Version 2 ESDTs needed for MIANCARP, MIRCCM, MISANCG	DAAC	
162	ECSed28945	RelB0_PLS	2	C	VATC	PREditor GUI abort during PR/DPR deletion and Plan fails Activation	TEST	
163	ECSed28948	RelB0_IDG	3	C	EDF	Registry Gui Displays the wrong Mapped Mode.	DEV	
164	ECSed28955	OPS_Toolkit	2	C	EDF	Missing files in Toolkit Install for 6A	DEV	
165	ECSed28964	OPS_CLS	3	C	EDF	URT: Default Home DAAC Is Set to GSF When Should be EDC	DEV	
166	ECSed28968	OPS_DBDM	2	C	EDF	DPS: Needs new fields in PlDataTypeMaster, and machineId be part of PK.	DEV	
167	ECSed28971	OPS_DPS	3	C	EDF	PM-1 DPREP requires more robust check of header/first record time.	DEV	
168	ECSed28975	OPS_SDSRV_ESDT	2	R	EDF	New KeyWord for GLA07		
169	ECSed28980	OPS_DBDM	3	C	EDF	Update EcDbDDMUpdateVersionTable script for Release 5B6A	DEV	
170	ECSed28981	OPS_DPS	2	T	LaRC DAAC	Disk space needed increases with every pass of sleeping	DAAC	Server Specific
171	ECSed28990	OPS_SDSRV	2	C	EDF	COre dump in updating ESDT	DEV	
172	ECSed28992	OPS_DMS	3	C	EDF	New valid needed for GLA16	EDF	
173	ECSed28993	OPS_SDSRV_ESDT	3	R	EDF	New Valid needed for GLA16		
174	ECSed29006	OPS_SDSRV_ESDT	5	V	EDF	ESD72-141:changes for M[O,Y]D27W.	DEV	

ORIGINAL

175	ECSed29007	OPS_SDSRV_ ESDT	5	V	EDF	ESD72-142:Changes for M[O,Y]D27Y.	DEV	
176	ECSed29008	OPS_SDSRV_ ESDT	5	V	EDF	ESD72-143:changes for M[O,Y]DOCY27	DEV	
177	ECSed29009	OPS_SDSRV_ ESDT	5	V	EDF	ESD72-144:changes for M[O,Y]D27HV	DEV	
178	ECSed29044	OPS_DPS	2	C	EDF	PM-1 DPREP places Euler angle in wrong order in output data set.	DEV	
179	ECSed29048	OPS_Toolkit	2	T	GSFC DAAC	PGS_CSC_QuatToEuler still generates large angles	DAAC	Not reproducible in VATC
180	ECSed29060	OPS_IDG	3	C	EDF	Typo in .cfgpatch for CSS for the .dbparms	DEV	
181	ECSed29061	OPS_SysBld	3	C	EDF	Need to update the .rgypatch and .cfgpatch files for 5B.07 Delivery	DEV	
182	ECSed29063	OPS_MSS	2	C	EDF	EcsAssist should do a revert parms for .extparms for STMGT	DEV	
183	ECSed29068	OPS_PLS	1	C	EDF	The database build does not work for the PDPS database	DEV	
184	ECSed29088	OPS_SDSRV_ ESDT	2	C	EDF	Exception thrown in DsESDTAsAST_L1B	DEV	
185	ECSed29104	OPS_DPS	3	C	EDF	PM-1 DPREP attitude processor error in time check.	DEV	
186	ECSed29117	OPS_SDSRV_ ESDT	5	C	EDF	Creation of new MI5R ESDT MB2LMRC	DEV	
187	ECSed29119	OPS_PLS	2	C	EDF	PR Editor core dumps on delete from DPR list when job not in AutoSys	DEV	
188	ECSed29120	OPS_SysBld	3	T	GSFC DAAC	GSFC/SMC: Automation of delivery of DPREP ODLs	DAAC	
189	ECSed29122	RelB0_DMS	2	C	VATC	Attempted to submit order failed	TEST	
190	ECSed29128	RelB0_IDG	2	T	PVC	EcDsScienceDataServer core dumps when EcSTRegMgr goes down.	PERF	
191	ECSed29158	OPS_DPS	2	C	EDF	PM-1 DPREP errors in PM1EPHD ESDT ODL	DEV	
192	ECSed29172	OPS_SDSRV_	3	C	EDF	Validate Data integrity of starting/ending	DEV	

ORIGINAL

		DTS				blocks, insert of MISR; GLAS,		
193	ECSed29184	RelB0_IDG	2	C	EDF	Registry Gui's Mapped mode function not working properly	DEV	
194	ECSed29206	OPS_DMS	3	C	EDF	The clearcase .cfgparms should be updated to remove unused DMS .cfgparms	DEV	
195	ECSed29212	OPS_DMS	2	C	NSIDC DAAC	"Search for browse-only" button non-functional on EDG	TEST	
196	ECSed29215	RelB0_DMS	2	V	SMC	Incorrect No. of Datasets and No. of Granule Hits		
197	ECSed29222	OPS_DMS	3	C	EDF	Need to made EDCHostPort configurable for EDF, VATC, and PVC	DEV	
198	ECSed29231	OPS_DPS	3	C	EDF	DPREP early mission orbit metadata projection can be improved.	DEV	
199	ECSed29232	OPS_Toolkit	3	C	EDF	Need to modify PGS_IO_L0_FileVersionInfo.c for L0 problem	DEV	
200	ECSed29233	OPS_SDSRV_DTS	3	C	EDF	Missing indexes from patch 5859	DEV	
201	ECSed29234	RelB0_DMS	3	C	VATC	Measured Parameter Name Is Not Added to Search Results	TEST	
202	ECSed29236	OPS_INGST	2	T	EDC DAAC	5B.06,TS2 IGS INGEST .MTA file size changed.	TEST	Failed verification?
203	ECSed29237	OPS_INGST	1	T	EDC DAAC	5B.06_INGEST_05_00-1083, TS2 Ingran Core Dumps, IGS Polling	DAAC	Server Specific
204	ECSed29241	RelB0_SDSRV	2	C	VATC	Search truncation is not correctly reported to the client	TEST	
205	ECSed29242	OPS_DMS	2	A	EDC DAAC	TS2: 5B.06 AQUA Valids Mapping Needed	TEST	Failed verificaiton
206	ECSed29245	OPS_SDSRV_ESDT	5	V	EDF	ESD72-150:Changes to M*{04,36,1D}{M,S,N,Q,F,1,2,3}M Monthly L3 Oceans	DEV	
207	ECSed29246	OPS_SDSRV_ESDT	5	C	EDF	ESD72-151:Changes for M*{04,36,1D}{M,S,N,Q,F,1,2,3}N ESDTs	DEV	

ORIGINAL

208	ECSed29247	OPS_PLS	2	T	EDC DAAC	OPS:Drop5B04:AODPT: EcPlDbClean causes problems with ASTER	DAAC	Not reproducible in VATC
209	ECSed29257	OPS_SDSRV_IIF	2	C	EDF	SDSRV does not use formating string in error logging	DEV	
210	ECSed29261	OPS_PLS	3	V	Langley DAAC	5B.06 EcDpAtRegisterPGE has extraneous debug output	DAAC	
211	ECSed29272	OPS_STMGT	2	C	EDF	Archive Server core dump in irix6.5	DEV	
212	ECSed29276	OPS_PLS	2	C	EDF	Change initial values for PIEsdtParm DAR_ID and AST_L1B dynamicFlag	DEV	
213	ECSed29280	OPS_INGST	5	A	GSFC DAAC	GSFC/SMC: Configure Ingest to receive data from S4PM system	TEST	
214	ECSed29289	OPS_INGST	3	C	EDF	RpcID is getting repeated	DEV	
215	ECSed29295	OPS_SDSRV_ESDT	5	C	EDF	ESD72_151:AST_05 and AST_08 add ASTER ARCHIVEDmetadata ACT_SPECIFIC grou	DEV	
216	ECSed29298	OPS_SDSRV_ESDT	2	C	EDF	4 Bulk Export ESDTs need to be created	DEV	
217	ECSed29299	RelB0_DPS	2	T	PVC	PDPS changes at runtime resources assigned to PGE		
218	ECSed29305	OPS_SDSRV	2	T	EDC DAAC	5B.06:TS2 TESTING: SDSRV needs to be bounced to reset order	DAAC	Server Specific
219	ECSed29310	RelB0_INGST	1	V	PVC	Request Manager Core Dump		
220	ECSed29345	OPS_SDSRV_DTS	5	C	EDF	Merge AMSR NOSE data for DLL	DEV	
221	ECSed29368	OPS_DMS	2	C	EDF	Enhanced L7 Price Estimate request does not get proper estimates.	DEV	
222	ECSed29370	OPS_PLS	2	T	EDC DAAC	OPS:5B.06:PDPS: Planning WorkBench 'Recover Plan' Pop-Up bo	DAAC	Not reproducible in VATC
223	ECSed29383	OPS_DPS	3	C	EDF	DPREP should attempt to 'wrap' Euler angles into valid range.	DEV	
224	ECSed29385	OPS_DPS	3	C	EDF	DPREP automation of ODL delivery cannot be done as proposed.	DEV	

ORIGINAL

225	ECSed29405	OPS_DMS	2	C	EDF	Directory searches in AsterToEcsGwy do not find data though it exists.	DEV	
226	ECSed29416	OPS_DMS	5	C	EDF	default mTool blank field to "NOT APPLICABLE"		
227	ECSed29417	OPS_SDSRV_ESDT	5	C	EDF	ESD72-152: Added new modified PRODUCT_SUMMARY to UNPARSEDMETADATA group	DEV	
228	ECSed29420	RelB0_DBDM	2	C	EDF	Change 5B6A versioning style for 5B delivery	DEV	
229	ECSed29425	OPS_SDSRV	2	C	EDF	SCLI script doesn't allow repeatable tags for tracking duplicate request	DEV	
230	ECSed29439	OPS_INGST	2	T	EDC DAAC	GDAZ0FH and OZ_DLYH Transfer failures	DAAC	Site specific Script
231	ECSed29446	OPS_DMS	2	C	EDF	Need to add the DistributionOptionFile to the .rgypatch for PDS (5B6A)	DEV	
232	ECSed29458	RelB0_INGST	1	T	PVC	Ingest Request Manager core dump every a half_hours		
233	ECSed29460	OPS_DDIST	2	C	EDF	DDIST Gui not reporting any information in 5B6A modes in integration lab	DEV	
234	ECSed29463	OPS_IDG	2	C	EDF	SBSRV needs to send UserString in all UpperCase to SDSRV	DEV	
235	ECSed29466	OPS_DMS	2	C	EDF	User String needs to be uppercase	DEV	
236	ECSed29468	RelB0_SDSRV_IIF	3	C	EDF	Small memory leak in DsShGenRequestMediator	DEV	
237	ECSed29469	OPS_SDSRV_DTS	5	C	EDF	Merge Descending AMSR Descending NOSE Data for new AMSR DLL	DEV	
238	ECSed29474	OPS_SDSRV_ESDT	3	V	EDF	sync up of 5b - 5b6a descriptors in Clearview	DEV	
239	ECSed29499	RelB0_PLS	1	T	PVC	Negative granuleSize in the PDPS table PlDataGranule		
240	ECSed29505	RelB0_SDSRV	2	V	NSIDC DAAC	"Search for browse-only" button non-functional on EDG	TEST	Site Specific Data
241	ECSed29509	OPS_STMGT	1	V	GSFC DAAC	GSFC/SMC:Distribution requests are suspending in OPS	TEST	Can reproduce # of requests
242	ECSed29536	OPS_DPS	2	V	GSFC DAAC	GSFC/SMC: PDPS tx log fills in OPS halting	TEST	

ORIGINAL

						production		
243	ECSed29549	OPS_DDIST	2	C	EDF	Request Id should be NONE on DN when request is not order tracked	DEV	
244	ECSed29566	OPS_MSS	3	C	EDF	Correction to .sitemap, .sitehostmap and .hostmap needed for 5B.07	DEV	
245	ECSed29576	RelB0_SDSRV	2	C	EDF	Add EcDsSrMkcfg to .EcDsSCLI.iu file.	DEV	
246	ECSed29609	OPS_DPS	1	C	EDF	Job Management does not run on-demand DPRS	DEV	
247	ECSed29613	RelB0_MSS	3	C	EDF	Two errors in cfgparms for CSS/EcCsId	DEV	
248	ECSed29620	OPS_PLS	2	C	EDF	PWB communicates with Job Management before Calling Detm. Chains script	DEV	
249	ECSed29655	OPS_SDSRV_ESDT	3	C	EDF	.EcEsdt.iu file needs update for renamed AMSR descriptor	DEV	

ORIGINAL